

ПОКАЖЧИК НАЗВ ПТАХІВ ТОМІВ ІХ — ХІ

INDEX OF BIRD NAMES IN VOLUMES IX — XI

- Acanthis cannabina* IX: 7; X₁: 12, 27, 34, 41, 49, 114; X₂: 143, 146, 148, 150, 186, 193, 215; XI₁: 2, 4, 6, 8, 9, 11, 13
- A. flammea* X₁: 34, 49; X₂: 147, 149, 186; XI₁: 10
- A. flavirostris* XI₂: 150
- A. hornemanni* X₁: 34
- Accipiter brevipes* X₂: 154, 161, 166, 168, 169, 175, 178
- A. gentilis* IX: 2, 25, 111, 112, 113, 114, 127, 142; X₁: 4, 32, 35, 42; X₂: 143, 146, 149, 150, 161, 185, 208; XI₁: 2, 4, 6, 7, 9, 10, 13, 19, 22, 36, 51, 53, 58, 113, 120, 121; XI₂: 179, 205, 206
- A. nisus* IX: 2, 111, 112, 113; X₁: 27, 32, 35–36, 42, 45, 107; X₂: 146, 149, 161, 185, 208; XI₁: 4, 6, 8, 9, 11, 13, 51, 113, 120, 121; XI₂: 206
- Acrocephalus agricola* IX: 102, 106; XI₂: 209
- A. arundinaceus* IX: 6, 53, 58, 59, 61, 62, 64, 65, 67; X₁: 40; X₂: 144, 215; XI₁: 11; XI₂: 212
- A. baeticatus* XI₂: 208
- A. dumetorum* IX: 6, 136, 137; X₁: 14; XI₁: 20
- A. melanopogon* XI₂: 208–214
- A. paludicola* XI₂: 213
- A. palustris* IX: 6, 51, 53, 54, 55, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 69, 71, 72; X₁: 102–104; X₂: 143, 215, 220; XI₁: 7, 12, 20, 95
- A. scirpaceus* IX: 51, 53, 54, 59, 60, 61, 62, 64, 65, 67; X₁: 34, 40, 48; X₂: 144, 215; XI₁: 12, 20, 22
- A. schoenobaenus* X₁: 48; X₂: 204, 205, 215; XI₁: 20, 22; XI₂: 209
- A. vaughani* XI₂: 208
- Actitis hypoleucos* IX: 4, 11, 108, 109, 142; X₁: 23, 30, 33, 36, 106; X₂: 147, 162, 251; XI₁: 12, 19, 21
- Aegithalos caudatus* X₁: 42; X₂: 143, 146, 149, 185; XI₁: 3, 7, 8, 10, 11, 13
- Aegolius funereus* IX: 79, 144; X₁: 11, 122; X₂: 164; XI₁: 53, 56–57, 59
- Aegyptius monachus* IX: 113, 134; X₁: 52–62; X₂: 130, 136, 137, 138, 161; XI₁: 115
- Alauda arvensis* IX: 6, 45, 58, 89, 90, 91, 92, 93, 94, 95, 97, 98; X₁: 12, 27, 28, 29, 33, 38, 47, 104; X₂: 142, 146, 215; XI₁: 4, 12, 20, 91
- Alca torda* X₁: 46, 50; X₂: 251
- Alcedo atthis* IX: 5, 11, 109, 110, 146; X₁: 24, 30, 33; X₂: 144, 147, 150, 164, 185, 190, 250; XI₁: 11, 72–73; XI₂: 150, 249
- Alectoris chukar* X₂: 249
- A. rufa* X₁: 45, 51
- Anas acuta* X₁: 4; X₂: 161, 185, 252; XI₁: 19, 21; XI₂: 149, 229–233
- A. clypeata* X₁: 44; X₂: 161, 177, 252; XI₁: 19, 20, 23; XI₂: 238–239, 249
- A. crecca* IX: 142; X₁: 27, 32, 44; X₂: 147, 149, 161, 175, 185, 252; XI₁: 10, 19, 20; XI₂: 224–227, 249
- A. penelope* X₁: 4, 32, 44, 109; X₂: 161, 252; XI₁: 19, 20, 23; XI₂: 148–149, 227–229
- A. platyrhynchos* IX: 1, 108, 109, 110, 142; X₁: 4, 31–32, 41, 44, 51; X₂: 139, 144, 147, 149, 161, 185, 187, 252–253; XI₁: 10, 19, 20, 21; XI₂: 180, 219–224, 249, 262, 264, 265–266
- A. querquedula* IX: 1; X₁: 4; X₂: 147, 149, 161, 185; XI₁: 10, 19, 21; XI₂: 233–238, 249
- A. strepera* X₁: 4, 32, 44, 105; X₂: 161, 175, 177, 252; XI₁: 19, 20, 21, 22, 23; XI₂: 148, 227, 249
- Anser albifrons* IX: 128; X₂: 160, 173; XI₁: 19, 21; XI₂: 216–217
- A. anser* IX: 1; X₁: 4, 44; X₂: 149, 160, 165, 169, 170, 177, 185, 187, 250; XI₁: 11, 19, 20, 22–23; XI₂: 148
- A. erythropus* IX: 134; X₁: 1; X₂: 160
- A. fabalis* X₂: 160, 185, 187; XI₁: 19, 21
- Anthropoides virgo* IX: 86, 98; X₁: 67, 68–74; X₂: 132, 136
- Anthus campestris* IX: 6, 134; X₁: 12
- A. cervinus* X₁: 12–13; XI₂: 150
- A. pratensis* IX: 6; X₁: 12, 34, 40, 47; X₂: 142; XI₁: 6, 106
- A. spinoletta* X₁: 105; XI₂: 261
- A. trivialis* IX: 6, 58; X₁: 27, 29, 34, 40, 105, 106; X₂: 144; XI₁: 5, 6, 8, 9, 12, 13, 20, 22
- Apus apus* IX: 5; X₁: 33, 38, 46–47, 50, 107; X₂: 142, 145, 164; XI₁: 2, 3, 6, 19, 22, 71
- Aquila chrysaetos* IX: 10, 113, 117, 149; X₁: 7, 32, 41–42, 116; X₂: 130, 136, 154, 161, 175, 177, 194, 249; XI₁: 58; XI₂: 172, 261
- A. clanga* IX: 10, 144; X₁: 7, 21; X₂: 154, 161, 175, 177–178; XI₁: 34–47, 114; XI₂: 143–144
- A. heliaca* IX: 113, 143; X₁: 7; X₂: 130, 136, 137, 138, 161, 175, 179; XI₁: 115
- A. pomarina* IX: 10, 142; X₁: 7, 21, 115–116; XI₁: 34–47, 114–115; XI₂: 143–144, 149, 205, 261
- A. rapax* IX: 2, 86, 99, 113, 134; X₂: 161, 210; XI₁: 31–33
- Ardea cinerea* IX: 1, 108, 109, 110, 113; X₁: 3, 20, 28, 32, 44; X₂: 147, 160, 186, 249; XI₁: 11, 15, 16, 19, 22, 30; XI₂: 205
- A. purpurea* IX: 1; X₁: 1; X₂: 160, 166, 171, 172, 180, 195
- Ardeola ralloides* X₂: 127, 136, 137, 138, 153, 160, 166, 171–172, 173, 180
- Arenaria interpres* IX: 134; X₁: 33, 45; X₂: 162; XI₁: 19, 21, 22, 24
- Asio otus* IX: 5, 75–78, 113; X₁: 37, 38; X₂: 143, 145, 150, 163, 185, 189–190; XI₁: 3, 4, 6, 11, 51, 53, 55–56, 57, 58



- A. flammeus* IX: 5, 78, 113, 142; X₁: 11, 24; X₂: 155, 164, 185; XI₁: 5, 11, 17, 56, 57, 59, 106; XI₂: 150
Athene noctua IX: 4, 79, 80; X₁: 122; X₂: 142, 164, 174, 176, 185; XI₁: 4, 51, 52–53, 57; XI₂: 150
A. blewitti XI₁: 128
Aythya ferina IX: 1; X₁: 4, 32, 45; X₂: 147, 161, 175, 178, 185, 187, 252; XI₁: 11; XI₂: 239–243, 249
A. fuligula IX: 1; X₁: 35, 41, 45; X₂: 149, 161, 185, 187, 252; XI₁: 10, 19, 20, 21, 78; XI₂: 180, 243–245, 249, 264
A. nyroca IX: 113; X₁: 4–5; X₂: 128, 136, 138, 153, 161, 253
A. marila IX: 134; X₁: 5, 32, 45; X₂: 161, 185, 187; XI₁: 19, 20, 21

Bombycilla garrulus X₁: 34; X₂: 145, 148, 155, 185, 191; XI₁: 2, 4, 5, 7, 9, 12, 13
Botaurus stellaris IX: 1, 113, 144; X₁: 2, 44; X₂: 139, 160, 194; XI₂: 146
Branta bernicla X₁: 1, 32; X₂: 160, 166, 170, 171, 177; XI₁: 19, 21; XI₂: 260
B. canadensis X₁: 44, 50
B. leucopsis X₁: 32, 44, 50; X₂: 160, 166, 172, 173, 180; XI₁: 19, 21
Bubo bubo IX: 74–75, 111, 112, 113, 114, 125–126; X₁: 35, 37, 38, 42; X₂: 135, 136, 144, 174, 194, 248; XI₁: 8, 50, 52, 53, 57, 58, 59, 131; XI₂: 145–146, 147, 150, 251
Bucephala clangula X₁: 5, 35, 41; X₂: 128, 136, 137, 149, 161, 165, 169, 170, 175, 177, 178, 185, 187, 188, 253; XI₁: 10, 19, 20, 21; XI₂: 149, 245–246, 249, 264, 265
Burhinus oedicnemus X₂: 133, 136
Buteo buteo IX: 2, 44, 113, 127; X₁: 21, 32, 35, 45, 63; X₂: 146, 149, 161, 163, 208; XI₁: 2, 7, 9, 11, 13, 19, 22, 53, 113, 114, 120, 121; XI₂: 261, 266–268

B. galapagoensis XI₂: 208
B. lagopus IX: 2, 113; X₁: 32; X₂: 147, 149, 161, 179, 185; XI₁: 4, 9, 11, 113, 120
B. regalis XI₂: 206
B. rufinus IX: 99, 113, 134; X₁: 63–66; X₂: 129, 136, 137, 154, 161, 166, 172, 173, 180, 210–212; XI₁: 113–114; XI₂: 165–167, 180

Calandrella cinerea IX: 86, 89, 90, 91, 92, 93, 94, 95, 97, 98; X₁: 11–12, 106
C. rufescens IX: 89, 90, 91, 94, 98
Calcarius lapponicus IX: 134
Calidris alba X₂: 163, 166, 170, 171, 177
C. alpina X₁: 33, 45; X₂: 163; XI₁: 19, 21
C. canutus IX: 134; X₂: 163, 166, 172, 180
C. ferruginea X₁: 33; X₂: 163
C. maritima X₂: 163, 166, 172, 180
C. minuta X₂: 163
C. temminckii IX: 109; X₂: 163
Caprimulgus europaeus IX: 5; X₁: 27, 29; X₂: 164; XI₁: 70, 71
Carduelis carduelis IX: 7, 76; X₁: 34, 41, 42, 49; X₂: 143, 146, 149, 150, 186, 193; XI₁: 3, 4, 6, 8, 9, 11, 13
Carpodacus erythrurus IX: 7, 53, 59, 61, 62, 64, 67, 72; X₁: 34, 41; X₂: 215; XI₁: 20; XI₂: 261, 262
C. rubicilla X₂: 152
Catharacta macconnicki X₁: 94; X₂: 231

C. antarctica X₁: 94
C. lonnbergi XI₂: 208
Cephus grylle X₂: 251
Certhia familiaris IX: 7; X₁: 39, 42; X₂: 143, 146, 149, 185; XI₁: 3, 8, 10, 12, 13
Ceryle lugubris X₂: 251
C. rudis X₂: 251
Charadrius alexandrinus X₂: 133, 136, 137, 138
Ch. dubius IX: 4, 10, 109; X₁: 10, 23, 30, 36; X₂: 144, 162; XI₁: 11, 16, 19, 21

Ch. hiaticula X₁: 32, 36, 45; X₂: 162; XI₁: 19, 21
Chen caerulescens X₂: 160, 166, 172, 173, 180
Chettusia gregaria IX: 99, 134; X₂: 162, 166, 172, 180
Chionis alba X₁: 91–101; X₂: 231, 232
Ch. minor X₁: 91
Chlidonias hybrida IX: 11, 109, 142, 143; X₁: 10, 24; X₂: 144, 163, 166, 168, 175, 178; XI₁: 12, 16–17; XI₂: 180
Ch. leucoptera IX: 4; X₁: 10; X₂: 163; XI₁: 17
Ch. nigra IX: 4, 108, 109; X₁: 10; X₂: 144, 163; XI₁: 12
Chloris chloris IX: 7, 58, 78; X₁: 34, 41, 49; X₂: 143, 145, 149, 150, 186, 192–193, 221; XI₁: 2, 4, 6, 8, 9, 11, 13, 20, 54, 56
Ciconia boyciana XI₁: 127
C. ciconia IX: 9–10, 127, 134, 142, 144; X₁: 20–21, 32; X₂: 145, 160, 165, 169, 172, 175, 178, 180, 249; XI₁: 3, 5, 15, 30, 49, 126; XI₂: 141, 154–157, 205
C. nigra IX: 9, 31, 109, 142, 143, 144; X₁: 3–4, 21, 25, 29, 32, 115; X₂: 135, 136, 142, 153, 154, 160, 165, 169, 172, 180, 250; XI₁: 26; XI₂: 141–142, 148, 151–153, 205, 260, 262
Cinclus cinclus X₂: 150; XI₁: 12; XI₂: 263
Circaetus gallicus IX: 10, 112, 113, 142; X₁: 7, 21, 32; X₂: 129–130, 136, 137, 138, 161, 249; XI₁: 16, 114; XI₂: 144, 158–164
Circus aeruginosus IX: 3, 44, 108, 109, 111, 112, 113, 114, 142; X₁: 21, 32, 45; X₂: 145, 148, 161, 208; XI₁: 4, 113, 121; XI₂: 205
C. cyaneus IX: 2, 113; X₁: 6–7, 32, 106; X₂: 129, 136, 137, 138, 161, 175, 177, 185, 188; XI₁: 113, 120, 121; XI₂: 180, 206, 261
C. macrourus IX: 2, 86, 113; X₁: 1; X₂: 161, 175, 177
C. pygargus IX: 2–3, 5, 10, 44–



- 46, 113; X₁: 1, 21; X₂: 154, 161, 253; XI₁: 15–16, 113; XI₂: 201, 207
- C. ranivorus* X₂: 206
- Clangula hyemalis* IX: 134; X₁: 5, 32, 41; X₂: 161; XI₂: 180
- Coccothraustes coccothraustes* IX: 7; X₁: 34, 41, 104; X₂: 143, 145, 148, 150, 186, 193; XI₁: 2, 4, 6, 7, 9, 11, 13
- Columba jouyi* XI₁: 126
- C. livia* IX: 4, 80; X₁: 37, 42, 46; X₂: 142, 145, 147, 148, 163, 185; XI₁: 2, 3, 5, 7, 10, 13, 51, 64–66, 82, 115
- C. oenas* IX: 11; X₁: 10–11, 27, 29, 33, 37; X₂: 145, 155, 163, 175, 178; XI₁: 3, 63–64; XI₂: 262
- C. palumbus* IX: 4, 127; X₁: 27, 33, 37, 46, 50, 51, 105; X₂: 143, 147, 163, 185, 189; XI₁: 7, 9, 10, 19, 20, 61–63
- Coracias garrulus* IX: 5, 78; X₁: 11, 111–114; X₂: 164, 176, 178; XI₁: 71, 72; XI₂: 146
- Corvus corax* IX: 8, 25, 41, 117, 127; X₁: 28, 38, 42, 52; X₂: 143, 146, 149, 150, 185, 250; XI₁: 3, 4, 6, 7, 10, 13, 20, 22; XI₂: 126
- C. cornix* IX: 5, 8, 112; X₁: 14, 27, 33, 35, 38–39, 42; X₂: 143, 146, 149, 150, 185, 209; XI₁: 2, 4, 5, 7, 8, 9, 10, 13, 20, 54, 55
- C. corone* IX: 111, 112; X₁: 50, 51, 108, 109
- C. macrorhynchos* XI₂: 197
- C. monedula* IX: 7, 78, 80; X₁: 27, 28, 33, 50; X₂: 142, 146, 148, 150, 185; XI₁: 2, 3, 5, 7, 10, 13, 20
- C. frugilegus* IX: 5, 7–8, 11, 112, 126; X₁: 20, 33, 50; X₂: 142, 145, 148, 150, 185, 209, 226–230; XI₁: 2, 3, 5, 7, 10, 13, 33, 55, 79–83, 115
- Coturnix coturnix* X₁: 29; X₂: 142, 162, 175, 178; XI₁: 4, 6, 56
- Crex crex* IX: 3, 142; X₁: 67, 76–77, 106; X₂: 162; XI₂: 149
- Cuculus canorus* IX: 4, 51–73, 112, 136, 137, 138; X₁: 33, 37, 46, 103, 104; X₂: 144, 145, 163, 213–217, 254; XI₁: 4, 6, 8, 9, 10, 13, 19, 22, 69–70, 95, 115; XI₂: 197
- C. micropterus* IX: 136, 137, 138
- C. poliocephalus* IX: 136, 138; XI₁: 70
- C. saturatus* IX: 136, 138; X₂: 163, 167, 168, 169, 176, 178; XI₁: 70
- Cursorius bitorquatus* XI₁: 128
- Cyanoptila cyanomelana* IX: 137
- Cygnus atratus* X₁: 44
- C. bewickii* X₁: 32
- C. cygnus* X₁: 4, 31, 32, 41, 53; X₂: 153, 161, 177, 185; XI₂: 148, 260–261, 262
- C. olor* IX: 42, 133, 134; X₁: 4, 31, 41, 44; X₂: 149, 153, 161, 165, 169, 170, 175, 177, 178, 185, 187, 194, 250; XI₁: 10, 19, 20, 21, 22; XI₂: 148, 149, 264
- Delichon urbica* IX: 6, 11; X₁: 33, 38, 47; X₂: 142, 145; XI₁: 2, 3, 6, 20, 71
- Dendrocopos leucotos* IX: 5; X₁: 11; X₂: 150, 164, 185, 190; XI₁: 12; XI₂: 146
- D. major* IX: 5, 146; X₁: 38, 42; X₂: 143, 146, 147, 149, 164, 185; XI₁: 2, 4, 5, 7, 9, 10, 13, 19, 22, 50
- D. medius* IX: 5, 133; X₂: 143, 146, 148, 150, 159, 164, 167, 174, 176, 185; XI₁: 6, 7, 8, 9, 12, 13
- D. minor* IX: 5–6; X₁: 38, 47; X₂: 143, 146, 149, 150, 164, 185; XI₁: 3, 5, 6, 9, 12, 13
- D. syriacus* X₁: 27, 28, 29; X₂: 142, 145, 148, 150, 185; XI₁: 2, 4, 5, 7, 11, 13; XI₂: 150
- Diomedea albatrus* XI₁: 126
- Dryocopus martius* X₁: 1, 38, 42; X₂: 164, 185, 194; XI₁: 63
- Egretta alba* IX: 10, 113, 133, 134, 146; X₁: 1, 20; X₂: 153, 160, 165, 169, 172, 175, 178, 180, 185, 186, 195; XI₁: 15; XI₂: 148
- E. euphotes* XI₁: 126
- E. garzetta* IX: 108, 109; X₁: 3; X₂: 160, 166, 172, 180
- Elanus caeruleus* IX: 145
- Emberiza aureola* IX: 147; X₂: 251; XI₁: 26
- E. calandra* IX: 11, 133; X₁: 16, 49
- E. cioides* IX: 137; XI₂: 188–200
- E. citrinella* IX: 7; X₁: 27, 29, 34, 40, 49; X₂: 143, 146, 149, 150, 186, 219, 221; XI₁: 3, 4, 9, 11, 20, 57; XI₂: 262
- E. elegans* XI₂: 188
- E. fucata* XI₂: 190
- E. hortulana* IX: 7; X₁: 16–17, 106; XI₁: 150, 192
- E. jankowskii* XI₂: 188
- E. leucocephala* X₁: 106; X₂: 188
- E. melanocephala* X₂: 135, 136, 137, 138
- E. pallasii* XI₂: 188
- E. rustica* IX: 134
- E. rutila* XI₂: 188
- E. schoeniclus* IX: 7, 147; X₁: 34, 40, 49; X₂: 144, 147, 186, 193, 215; XI₁: 12, 20, 22; XI₂: 188, 192
- E. yessoensis* XI₂: 188
- Eophona migratoria* X₂: 251
- E. personata* X₂: 251
- Eremophila alpestris* IX: 89, 98; X₁: 12, 33; X₂: 185; XI₂: 150
- Erithacus rubecula* IX: 6, 53, 58, 59, 60, 62, 67, 69; X₁: 33, 39, 47; X₂: 143, 146, 149, 150, 185, 191, 214, 215, 220; XI₁: 3, 5, 6, 7, 9, 11, 13, 20, 50, 57
- Eudromias morinellus* IX: 134; X₂: 162, 166, 172, 180, 249
- Eulabeia indica* X₁: 44, 50–51
- Falco cherrug* IX: 113; X₁: 8; X₂: 131, 136, 137, 138, 147, 154, 162, 175, 178, 249; XI₁: 11, 115; XI₂: 261
- F. columbarius* X₁: 8, 32; X₂: 147, 154, 162, 185, 189; XI₁: 12, 116, 120; XI₂: 160, 261, 262
- F. eleonora* IX: 145
- F. mexicanus* XI₂: 206
- F. naumanni* IX: 3, 113; X₂: 135, 162, 165, 167, 169, 172, 175, 178, 180; XI₂: 206
- F. peregrinus* IX: 143; X₁: 8, 27,



- 28, 29; X₂: 131, 136, 137, 138, 154, 162, 185, 188–189; XI₁: 50, 115–116, 121, 122; XI₂: 168–172, 262
- F. sparverius* XI₂: 206
- F. subbuteo* IX: 3, 142; X₁: 32, 36, 45, 53, 105–108; X₂: 162, 209; XI₁: 116; XI₂: 144, 149
- F. rusticolus* X₁: 8; X₂: 162
- F. tinnunculus* IX: 3, 5, 42, 44, 113, 126; X₁: 8–9, 32, 45; X₂: 143, 145, 147, 148, 162, 208–209; XI₁: 2, 4, 5, 11, 116, 120; XI₂: 146, 205
- F. vespertinus* IX: 3, 4, 44, 127; X₁: 8; X₂: 147, 162, 175, 178, 209; XI₁: 12, 116; XI₂: 144, 149, 180
- Ficedula albicollis* IX: 7; X₁: 28; X₂: 144, 221; XI₁: 10
- F. hypoleuca* IX: 7; X₁: 27, 28, 33, 39; X₂: 143; XI₁: 8, 20, 22, 90
- F. parva* IX: 7; X₁: 27, 29, 33; X₂: 143; XI₁: 3, 8, 20, 22, 25
- Fratercula arctica* X₁: 46, 50
- Fringilla coelebs* IX: 7, 53, 58, 59, 62, 67, 69, 77; X₁: 34, 41, 42, 49; X₂: 143, 146, 149, 150, 186, 192, 221, 249; XI₁: 2, 4, 5, 7, 8, 10, 13, 20, 22, 56
- F. montifringilla* X₁: 34; X₂: 149, 186; XI₁: 6, 12, 20, 22, 25, 106
- Fulica atra* IX: 4, 42, 113; X₁: 27, 28, 32, 45, 51, 67, 78–81; X₂: 144, 162, 185, 189; XI₁: 10, 19, 22, 51; XI₂: 247–249, 264
- Fulmarus glacialis* IX: 147; X₁: 44, 50
- Galerida cristata* IX: 6, 89, 91, 98; X₁: 27, 29; X₂: 142, 146, 148, 185, 190; XI₁: 4, 12, 56, 113; XI₂: 267
- Gallinago gallinago* IX: 4, 109; X₁: 33, 36; X₂: 163, 194; XI₁: 19, 21; XI₂: 251–256
- G. media* IX: 11, 142, 144; X₂: 163, 175, 178; XI₂: 149
- G. solitaria* X₁: 106
- Gallinula chloropus* IX: 3, 4; X₁: 22, 45, 51, 67, 77–78, 122; X₂: 144, 147, 150, 162, 194; XI₁: 10
- Garrulus glandarius* IX: 7; X₁: 38, 42, 49, 66; X₂: 142, 145, 148, 150, 185; XI₁: 2, 4, 5, 7, 9, 10, 13, 20, 55; XI₂: 267, 268
- Gavia arctica* X₁: 2; X₂: 153, 160, 171, 185; XI₁: 26, 107
- G. stellata* X₁: 2; X₂: 160, 166, 169, 171, 177; XI₁: 107
- Gelochelidon nilotica* XI₁: 17
- Geronthicus eremita* XI₁: 139
- Glareola nordmanni* IX: 134; X₁: 9; X₂: 163, 168, 169, 172, 175, 178, 180; XI₁: 149
- G. pratincola* X₂: 134, 136, 137, 138, 155
- Glaucidium passerinum* IX: 80; X₁: 122; X₂: 159, 164, 167, 171, 179; XI₁: 52, 57, 59
- Grus grus* IX: 10; X₁: 1, 21–22, 32, 67–68; X₂: 131–132, 136, 137, 138, 162, 175, 178; XI₂: 144–145, 149, 262
- G. japonensis* XI₁: 126
- G. leucogeranus* X₁: 67
- Gypaetus barbatus* IX: 147; X₂: 248, 249
- Gyps bengalensis* XI₁: 128
- G. fulvus* IX: 2, 134; X₁: 52, 59, 61; X₂: 130–131, 136, 137, 162, 250; XI₁: 115, 121–123
- G. indicus* XI₁: 128
- Haematopus ostralegus* X₁: 9, 22–23, 24, 33, 36, 45; X₂: 134, 136, 138, 162, 175, 179; XI₁: 16, 19, 21; XI₂: 145
- Haliaeetus albicilla* IX: 28–38, 39–43, 111, 112, 113, 114, 122–123, 148–149; X₁: 7–8, 32, 109; X₂: 130, 136, 154, 161, 177, 185, 188, 250; XI₁: 54; XI₂: 143, 149, 150, 162, 163, 261, 262, 264, 265
- H. leucocephalus* IX: 148
- H. leucorhynchus* IX: 113, 114
- H. pelagicus* IX: 148
- Hieraetus pennatus* IX: 10, 113, 142; X₁: 7, 115; X₂: 154, 161, 165, 169, 172, 175, 178, 180, 208; XI₁: 16, 114
- Hierococcyx fugax* IX: 136, 138
- Himantopus himantopus* IX: 134, 135; X₁: 9; X₂: 133–134, 136, 137, 138, 154, 162, 167, 169, 172, 175, 178, 180; XI₂: 149
- Hirundo rustica* IX: 6, 110; X₁: 30, 33, 38, 47, 105, 114, 120; X₂: 142; XI₁: 2, 4, 5, 12, 20
- Hippolais calligata* X₁: 14
- H. icterina* IX: 6; X₁: 27, 34, 40, 48, 51; X₂: 144, 220; XI₁: 8, 9, 20
- H. pallida* XI₁: 109
- Horeites diphone* IX: 138
- Hydroprogne caspia* IX: 128; X₁: 10; X₂: 135; XI₁: 19, 21
- Ixobrychus minutus* IX: 1, 113; X₁: 2–3, 20; X₂: 144, 160, 175, 176, 177, 203–206, 253; XI₁: 11; XI₂: 148, 212
- Jynx torquilla* IX: 5; X₁: 27, 29, 38; X₂: 143, 164, 219, 220; XI₁: 3, 4, 6, 11
- Ketupa zeylonensis* XI₁: 57
- Lagopus lagopus* IX: 134; X₁: 106; X₂: 159, 162, 166, 167, 174
- L. mutus* IX: 145
- Lanius collurio* IX: 6, 51, 52, 53, 54, 55, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 71, 72; X₁: 27, 28, 34, 40, 47, 104; X₂: 144, 218–225, 230; XI₁: 4, 6, 9, 11, 20, 51
- L. cristatus* IX: 137, 138
- L. excubitor* IX: 11; X₁: 1, 27, 34, 116; X₂: 135, 136, 145, 148, 155, 185, 189, 220; XI₁: 5, 6, 78; XI₂: 146, 150, 262
- L. minor* IX: 6; X₁: 13, 27; X₂: 221
- L. senator* X₂: 134, 136; XI₂: 200
- Larus argentatus* IX: 108, 109, 110; X₁: 10, 33, 37, 42, 45; X₂: 144, 147, 150, 163, 168, 169, 172, 175, 178, 180, 189; XI₁: 10, 19, 21
- L. cachinnans* IX: 47, 48, 49, 73, 108, 109, 110, 127, 133, 134; X₂: 185, 189, 194; XI₁: 26, 56; XI₂: 264
- L. canus* IX: 109; X₁: 33, 36–37, 42, 45; X₂: 144, 147, 150, 163, 168, 169, 170, 175, 177, 178, 185, 189; XI₁: 10, 19, 21; XI₂: 264



- L. dominicanus* X₁: 94, 98, 100, 101; X₂: 232
L. fuscus IX: 134; X₁: 9–10, 33, 45; X₂: 163, 170–171, 172, 177, 180; XI₁: 19, 21
L. genei IX: 48, 49
L. glaucoides IX: 134
L. heuglini X₂: 168
L. ichthyaetus X₁: 108; X₂: 134, 136, 163, 166, 172, 173, 180; XI₁: 26
L. marinus IX: 47, 50; X₁: 37, 42, 45–46, 51; XI₁: 19, 21, 22, 24
L. melanocephalus IX: 48, 49; X₂: 251
L. minutus IX: 142; X₁: 9; X₂: 163, 168, 169, 170, 175, 177, 178; XI₁: 16
L. ridibundus IX: 4, 48, 49, 108, 109; X₁: 9, 10, 27, 28, 33, 37, 42, 46, 108; X₂: 144, 147, 150, 163, 168, 175, 178, 185, 189; XI₁: 10, 16, 19, 21, 30; XI₂: 205, 264
Leptoptilos dubius XI₁: 129
Limicola falcinellus X₂: 163, 170, 172, 177, 180, 251
Limosa lapponica IX: 134; X₁: 33; XI₁: 19, 20
L. limosa X₁: 45; X₂: 155, 163; XI₁: 19, 20
Locustella fluviatilis X₁: 27, 28; X₂: 144; XI₁: 12
L. luscinioides IX: 134; XI₁: 150
L. naevia X₁: 14; X₂: 144; XI₁: 12
Lophophorus impeyanus XI₁: 128
Loxia curvirostra X₁: 16, 41, 42, 49; X₂: 155, 186, 193; XI₂: 180
L. leucoptera IX: 134
L. pytyopsittacus IX: 134; X₂: 253
Loxoides bailleui IX: 117
Lullula arborea IX: 6, 89; X₁: 12, 29, 33, 38, 47
Luscinia cyane IX: 138
L. luscinia IX: 6; X₁: 28, 33, 39; X₂: 144, 220; XI₁: 6, 9, 10, 20
L. megarhynchos X₁: 47; XI₁: 84–97, 123–124
L. svecica IX: 6; X₁: 33, 106; X₂: 155, 253; XI₂: 150
Lymnocyptes minimus X₂: 163; XI₂: 149
Lyrurus tetrix X₁: 105; X₂: 162, 253; XI₂: 147, 163, 173–180, 261
Macronectes giganteus X₁: 94
Melanerpes formicivorus XI₂: 208
Melanitta fusca IX: 134; X₁: 32, 35; X₂: 161, 185, 188, 249; XI₁: 19, 20, 21, 23–24; XI₂: 180
M. nigra IX: 134; X₁: 5, 32; X₂: 161, 166, 172, 173, 180, 249; XI₁: 19, 21
Melanocorypha calandra IX: 86, 89, 90, 91, 92, 93, 94, 95, 97, 98; X₁: 12; X₂: 185
M. leucoptera IX: 89, 98
M. yeltoniensis IX: 89, 98
Mergus albellus X₁: 5, 32; X₂: 161, 185, 188, 250; XI₂: 264
M. merganser X₁: 5, 35, 41; X₂: 149, 161, 185, 188; XI₁: 11, 19, 20, 21; XI₂: 149, 246–247, 264
M. serrator X₁: 5, 32, 35, 41; X₂: 129, 136, 137, 138, 161, 170, 172, 177, 180, 185; XI₁: 19, 20, 21
Merops apiaster IX: 5, 135, 146; X₂: 142, 145, 164, 176, 179, 250; XI₁: 4, 6, 8, 73–75
Milvus migrans IX: 2, 108, 109, 111, 113, 114, 142; X₁: 6, 20, 27, 32, 105; X₂: 161, 207–208, 253; XI₁: 113; XI₂: 206
M. milvus IX: 133; X₁: 27, 28, 29, 108–110; XI₂: 206
Monticola saxatilis X₂: 135, 136, 137
Motacilla alba IX: 6, 45, 53, 55, 58, 59, 60, 61, 62, 63, 65, 67, 69, 71; X₁: 34, 40, 47, 51, 104; X₂: 143, 146, 185, 190, 214, 215; XI₁: 3, 4, 6, 8, 9, 11, 13, 20, 22, 69
M. cinerea X₂: 185, 190
M. citreola IX: 6, 11; X₁: 19, 24
M. feldegg X₁: 1
M. flava IX: 6, 45, 53, 58, 59, 60, 62, 63, 67; X₁: 27, 34, 40, 47, 51; X₂: 143, 145, 220; XI₁: 5, 6, 12, 20, 22
M. personata X₁: 106
Muscicapa striata IX: 7, 53, 58, 59, 61, 62, 69; X₁: 33, 39, 48; X₂: 143, 147, 214; XI₁: 3, 5, 6, 8, 9, 12, 13, 20
Mycteria leucocephala XI₁: 128
Neophron percnopterus X₂: 130, 136
Netta rufina IX: 113, 134, 135; X₂: 160, 166, 172, 173, 180; XI₂: 239
Nipponia nippon XI₁: 127
Nucifraga caryocatactes X₁: 13–14, 39, 42; XI₂: 180, 263
Numenius arquata IX: 4; X₁: 33; X₂: 134, 136, 163, 167–168, 169, 170, 177; XI₁: 16; XI₂: 149
N. phaeopus IX: 134; X₁: 33; X₂: 134, 136, 163, 170, 172, 177, 180; XI₁: 19, 21
Nyctea scandiaca IX: 74; X₁: 1, 42; X₂: 163, 171, 172, 179, 180; XI₁: 52, 57
Nycticorax nycticorax IX: 12–22, 109, 113; X₁: 3, 20; X₂: 147, 160, 166, 168, 169, 175, 178; XI₁: 11, 27–30; XI₂: 148
Oenanthe isabellina X₁: 15; X₂: 142
O. oenanthe IX: 6, 27; X₁: 33; XI₁: 5, 6, 12, 20, 22
O. pleschanka X₂: 155
Ophrysia superciliosa XI₁: 128
Oriolus oriolus IX: 7; X₁: 33, 38; X₂: 144; XI₁: 6, 8, 10, 13, 20
Otis tarda IX: 86, 99, 123–124; X₁: 9, 84–90; X₂: 132–133, 136, 137, 138, 154, 162, 175, 178
Otus scops IX: 4, 78–79; X₁: 11, 122; X₂: 144, 164; XI₁: 9, 49–50, 57
Oxyura leucocephala X₂: 135, 136
Pandion haliaetus IX: 23–27, 111, 112, 113, 114; X₁: 5–6, 32, 109; X₂: 129, 136, 153, 161; XI₁: 19, 22, 30, 113; XI₂: 142–143, 149, 205, 261, 262
Panurus biarmicus X₁: 48; X₂: 185, 192, 194; XI₂: 150
Parus ater X₁: 16, 39, 42, 48; X₂: 145, 148, 155, 185; XI₁: 3, 8, 10, 13; XI₂: 263
P. caeruleus IX: 7; X₁: 39, 48; X₂: 143, 146, 149, 150, 185, 221; XI₁: 3, 4, 6, 7, 9, 11, 13



- P. cristatus* X₁: 16, 39, 42; X₂: 149, 185; XI₁: 8
P. major IX: 7; X₁: 39, 42, 48; X₂: 143, 146, 148, 150, 185, 221; XI₁: 2, 3, 5, 7, 8, 10, 13, 20, 98–104
P. montanus X₁: 39, 42; X₂: 146, 149, 185; XI₁: 8, 12, 20
P. palustris IX: 7, 133, 134; X₁: 42, 48; X₂: 142, 146, 148, 150, 185; XI₁: 3, 4, 6, 7, 9, 12, 13
Passer domesticus IX: 7, 76; X₁: 41, 42, 49, 50; X₂: 142, 145, 147, 148, 185; XI₁: 2, 3, 5, 7, 11, 13, 49, 53, 54, 82
P. hispaniolensis XI₁: 56
P. montanus IX: 7, 76; X₁: 41, 42, 49; X₂: 143, 146, 148, 150, 185, 221; XI₁: 2, 3, 5, 7, 9, 10, 13, 53
Pelecanus crispus IX: 134; X₂: 160
P. onocrotalus IX: 134; X₂: 126, 136, 160, 166, 172, 180
Perdix perdix IX: 3, 45, 75; X₁: 45; X₂: 145, 149, 162, 185; XI₁: 4, 5, 10, 33, 51
Pernis apivorus IX: 2, 113; X₁: 6, 21, 32, 35; X₂: 53–54, 161; XI₁: 15, 19, 22, 113; XI₂: 143, 262
Phalaropus fulicarius X₂: 163
Ph. lobatus X₁: 33; X₂: 163
Phalacrocorax aristotelis X₁: 44; X₂: 126, 136, 137, 138; XI₁: 51
Ph. atriceps X₁: 96; X₂: 232
Ph. carbo IX: 48; X₁: 32, 44; X₂: 160, 166, 171, 172, 180, 185, 186, 194, 195, 253; XI₁: 16, 22
Ph. pygmaeus X₂: 126–127, 136, 138
Phasianus colchicus IX: 42, 113; X₁: 9, 27, 28, 29, 45, 50; XI₂: 149
Philomachus pugnax IX: 142; X₂: 163; XI₁: 16, 19
Phoenicopterus roseus IX: 134; X₂: 160, 166, 172, 180
Phoenicurus phoenicurus IX: 6, 58; X₁: 15, 27, 28, 33, 39, 48; X₂: 142, 214; XI₁: 3, 5, 6, 8, 20
Ph. ochruros IX: 134; X₁: 28, 33, 39, 48, 114; X₂: 142, 145, 185, 191; XI₁: 2, 4, 5, 8, 12, 13, 106
Phragmaticola aedon IX: 136
Phylloscopus bonelli X₂: 152
Ph. borealis XI₁: 20, 22, 24–25
Ph. collybita IX: 6; X₁: 34, 40, 48; XI₁: 3, 4, 6, 7, 9, 11, 13, 20
Ph. inornatus IX: 134
Ph. sibilatrix IX: 6; X₁: 34, 40; X₂: 143, 146, 221; XI₁: 7, 8, 9, 11, 13, 20, 22
Ph. trochiloides IX: 7; X₁: 14; XI₁: 20, 22, 24; XI₂: 146
Ph. trochilus IX: 6, 58; X₁: 34, 40, 48; X₂: 143, 147; XI₁: 5, 7, 8, 10, 12, 13, 20, 22
Pica pica IX: 3, 5, 7, 78, 80, 111, 127; X₁: 28, 33, 38, 42, 49–50, 66; X₂: 142, 146, 149, 150, 185, 209; XI₁: 2, 3, 5, 7, 9, 10, 13, 20, 55, 116; XI₂: 181–187
Picoides tridactylus X₂: 164; XI₁: 261
Picus canus IX: 5; X₁: 38; X₂: 142, 146, 149, 150, 159, 164, 167, 174, 176, 185; XI₁: 2, 4, 6, 7, 9, 11, 13
P. viridis X₁: 27, 47; X₂: 143, 146, 149, 150, 164; XI₁: 3, 4, 6, 7, 9, 11, 13; XI₂: 150, 180
Pinicola enucleator IX: 134
Platalea leucorodia X₁: 3; X₂: 127, 136, 153
Plectrophenax nivalis X₁: 12, 34; X₂: 155, 168, 193; XI₂: 150
Plegadis falcinellus X₂: 127, 136, 138, 153, 160, 166, 172, 173, 180
Pluvialis apricaria X₂: 162, 167; XI₁: 19, 21
P. fulva X₂: 162, 166, 172, 173, 178
Podiceps auritus X₁: 105; X₂: 160, 165, 169, 170
P. cristatus IX: 1, 109, 113, 147; X₁: 32, 44; X₂: 147, 160, 175, 178, 185, 186, 196–202, 250; XI₁: 11, 19, 22
P. griseogena X₁: 2, 32; X₂: 160, 185; XI₁: 19, 22; XI₂: 148, 264
P. nigricollis IX: 1, 9; X₁: 2, 32; X₂: 160; XI₂: 215–216
P. ruficollis IX: 1; X₁: 2; X₂: 147, 148, 160, 166, 169, 175, 178, 184, 185, 186; XI₁: 10; XI₂: 148, 264
Polysticta stelleri X₂: 161, 166, 172, 173, 180
Porphyrio porphyrio X₁: 67, 78; XI₂: 208
Porzana parva X₁: 75; X₂: 162; XI₂: 149, 261
P. porzana X₁: 67, 74–75; X₂: 162, 253
P. pusilla IX: 133, 134; X₁: 67, 75–76; X₂: 162, 166, 167, 169
Prunella collaris XI₂: 208
P. modularis X₁: 34, 47; XI₂: 208
P. fulvescens XI₂: 208
Pseudibis papillosa XI₁: 129
Pygoscelis adeliae X₁: 93, 96, 97; X₂: 231, 232, 245
P. antarctica X₁: 96, 97; X₂: 231, 232
P. papua X₁: 93, 96, 97; X₂: 231, 232, 244, 245
Pyrrhocorax pyrrhocorax X₁: 109
Pyrrhula pyrrhula IX: 11, 143; X₁: 42, 49; X₂: 146, 149, 186; XI₁: 2, 4, 6, 8, 9, 11, 13, 56
Rallus aquaticus IX: 142, 144; X₁: 67, 74; X₂: 162, 185, 189
R. wakensis XI₁: 126
Recurvirostra avosetta IX: 134; X₁: 45
Regulus ignicapillus IX: 133; X₂: 135, 136, 155
R. regulus IX: 73; X₁: 40, 42; X₂: 146, 149, 185; XI₁: 3, 5, 8, 9, 12, 13, 20
Remiz pendulinus IX: 7, 134; X₁: 15–16, 25, 27, 28, 51; X₂: 143, 185, 192; XI₁: 7, 12, 17; XI₂: 150
Rhodonessa caryophyllacea XI₁: 128
Riparia riparia IX: 6; X₁: 30, 47, 51, 105; X₂: 144; XI₁: 10
Rissa tridactyla X₁: 46, 50
Rufibrenta ruficollis IX: 128, 134; X₁: 44; X₂: 135, 136, 160, 169–170, 172, 177, 180, 185, 186–187
Saxicola rubetra IX: 6, 58; X₁: 16, 27, 28, 33, 39, 48; X₂: 142, 214; XI₁: 6, 20, 69
S. torquata IX: 137; X₁: 28, 48,



- 105, 106; X₂: 144; XI₁: 5, 12, 106
- Scolopax rusticola* IX: 4; X₁: 23, 33, 36, 45; X₂: 147, 163, 185, 189; XI₁: 12; XI₂: 261
- Serinus serinus* X₁: 16, 27, 29, 34, 41; X₂: 145, 149; XI₁: 3, 8
- Sitta europaea* IX: 7; X₁: 39, 42, 49; X₂: 143, 146, 147, 149, 185; XI₁: 2, 5, 6, 7, 8, 12, 13
- Somateria mollissima* X₁: 32, 34–35, 41; X₂: 129, 136, 251, 251; XI₁: 19, 20, 21, 22, 23
- Spinus spinus* IX: 77; X₁: 34, 41, 42; X₂: 146, 148, 186; XI₁: 4, 6, 8, 11, 13, 20
- Squatarola squatarola* IX: 134; X₁: 32; X₂: 162; XI₁: 19, 21
- Stercorarius longicaudatus* XI₁: 26
- S. parasiticus* X₁: 33; X₂: 163, 166, 172, 173, 180
- S. pomarinus* X₂: 163, 166, 172, 173, 180
- Sterna albifrons* IX: 108, 109; X₁: 10, 23–24, 25, 30, 46; X₂: 163; XI₁: 150
- S. hirundo* IX: 4, 11, 108, 109; X₁: 10, 24, 30, 33, 35, 37, 46, 107; X₂: 144, 147, 163; XI₁: 11, 19, 21; XI₂: 205
- S. paradisaea* X₁: 10, 33; XI₁: 19, 21
- Streptopelia decaocto* IX: 4, 134; X₁: 27, 28, 29, 37, 46; X₂: 142, 145, 147, 148, 163, 166, 168, 169, 175, 178, 185, 194; XI₁: 2, 3, 5, 7, 9, 11, 13, 55, 66–67; XI₂: 145
- S. turtur* IX: 4; X₁: 27, 28, 29, 46; X₂: 144, 145, 163; XI₁: 3, 11, 51
- Strix aluco* IX: 4, 80, 142; X₁: 38; X₂: 142, 145, 147, 148, 164, 174, 176, 185, 244; XI₁: 2, 4, 6, 7, 51, 53–54, 57, 58, 67–69
- S. nebulosa* X₁: 122; X₂: 164; XI₁: 55, 57
- S. occidentalis* IX: 117
- S. uralensis* IX: 80–81; X₁: 38, 42, 116, 122; X₂: 164, 176, 243–244; XI₁: 54–55, 57, 59
- Sturnus roseus* IX: 134; X₁: 1; X₂: 135, 136, 137; XI₁: 51
- S. vulgaris* IX: 7, 127; X₁: 34, 35, 40, 49; X₂: 143, 145, 148, 150, 152, 185, 190–191; XI₁: 2, 4, 5, 7, 9, 10, 13, 20
- Sula bassana* X₁: 44, 50
- Surnia ulula* IX: 80; X₂: 164, 171, 172, 179; XI₁: 57
- Sylvia atricapilla* IX: 6, 58; X₁: 27, 34, 40, 48; X₂: 143, 147, 214; XI₁: 3, 5, 6, 7, 9, 11, 13, 20, 22, 95
- S. borin* IX: 6, 53, 54, 59, 61, 62, 64, 67, 69, 71; X₁: 27, 34, 40, 48, 104; X₂: 143, 145, 214, 215, 220; XI₁: 3, 5, 6, 8, 9, 12, 13, 20, 22
- S. cantillans* XI₁: 109
- S. communis* IX: 6, 53, 54, 55, 59, 61, 62, 64, 66, 67, 71, 137; X₁: 34, 40, 48, 104, 105; X₂: 144, 145, 213–217; XI₁: 3, 4, 6, 8, 9, 10, 13, 20, 22
- S. curruca* IX: 6; X₁: 34, 40, 48; X₂: 143, 214; XI₁: 6, 8, 12, 13, 95
- S. hortensis* XI₁: 109
- S. nisoria* IX: 6; X₁: 27, 28; X₂: 214
- S. rueppeli* XI₁: 109
- Sypheotides indica* XI₁: 128
- Syrnhartes paradoxus* IX: 134; X₂: 163, 166, 172, 180; XI₁: 61
- Tadorna cristata* XI₁: 14
- T. ferruginea* X₁: 4; X₂: 127–128, 136, 137, 138, 139, 161, 165, 169, 172, 175, 178, 180; XI₁: 217–218
- T. tadorna* IX: 134; X₁: 4, 31, 32, 44; X₂: 161, 185, 187, 252; XI₁: 19, 20, 23; XI₂: 148, 218, 249
- Tetrao urogallus* IX: 147; X₁: 36, 37, 42, 116; X₂: 162, 249
- Tetrastes bonasia* X₁: 36, 42; X₂: 162
- Tetrax tetrax* IX: 86, 99; X₂: 133, 136, 138, 162; XI₁: 33, 51
- Thalasseus sandvicensis* X₁: 46
- Threskiornis aethiopicus* IX: 117
- Tragopan melanocephalus* XI₁: 128
- Tringa erythropus* X₂: 154–155, 162; XI₁: 16, 17
- T. glareola* IX: 4, 108; X₁: 33, 45; X₂: 159, 169, 170, 175, 176; XI₁: 15, 19, 21; XI₂: 145
- T. nebularia* IX: 10, 108, 109, 110; X₁: 23; X₂: 162; XI₁: 15, 19, 21
- T. ochropus* IX: 4, 11, 109, 124; X₁: 23, 33, 36; X₂: 147, 151, 162, 185, 189; XI₁: 11, 19, 21
- T. totanus* X₁: 33, 36, 45; X₂: 162, 194, 254; XI₁: 19, 21
- T. stagnatilis* X₂: 162, 175, 178, 253; XI₁: 149
- Troglodytes troglodytes* IX: 6; X₁: 33, 39, 47; X₂: 142, 146, 149, 185, 215, 250; XI₁: 3, 5, 7, 8, 9, 12, 13, 20
- Turdus iliacus* IX: 11; X₁: 1, 24–25, 34; XI₁: 20, 22, 107
- T. merula* IX: 6; X₁: 34, 39–40, 42, 48, 50, 51, 104; X₂: 143, 146, 147, 149, 185, 191–192; XI₁: 2, 4, 5, 7, 8, 10, 13, 20, 56
- T. philomelos* IX: 6, 59; X₁: 34, 39, 48, 50, 51; X₂: 143, 146, 215; XI₁: 3, 4, 7, 8, 11, 13, 20, 22, 91
- T. pilaris* IX: 6; X₁: 15, 27, 28, 34; X₂: 142, 145, 148, 150, 185, 191, 194; XI₁: 2, 3, 5, 7, 9, 10, 13, 20, 107
- T. viscivorus* IX: 6; X₁: 15, 33, 48; X₂: 145, 148, 185, 192; XI₁: 3, 7, 20
- Tyto alba* IX: 142; X₁: 27, 29, 122; X₂: 142, 152, 164, 167, 172, 173, 180, 194; XI₁: 2, 48–49, 51, 57, 58, 59
- Upupa epops* IX: 5, 82–85; X₁: 33, 107; X₂: 144, 164; XI₁: 12, 75–76; XI₂: 257–259
- Uria aalge* X₁: 46, 50; XI₁: 19, 21
- Vanellochettusia leucura* IX: 124–125, 145
- Vanellus vanellus* IX: 4, 108, 109, 110, 124; X₁: 33, 45, 50, 105; X₂: 147, 162; XI₁: 4, 10, 19, 33
- Xema sabini* IX: 134
- Xenus cinereus* IX: 142; X₁: 23; X₂: 163; XI₁: 19, 21; XI₂: 145